




mce  mostra convegno®
expocomfort

28 June - 1 July - Fiera Milano
Visit us at Hall 2 | Stand N61 P62

'22

Product List 05.2022



Click on the model name to direct access of full web page.


Dreno R



	1~ M	1~ A	3~
	€	€	€
15	01011203 126,00	01011204 132,00	01011205 143,00
37	01011206 140,00	01011207 151,00	01011208 161,00
60	01010797 168,00	01010796 180,00	01010798 166,00
75	01010817 199,00	01010818 210,00	01010819 199,00
75	01010800 181,00	01010799 190,00	01010801 181,00
30	01010790 222,00	01010789 233,00	01010791 222,00
10	01010803 270,00	01010802 278,00	01010804 267,00
50	01010793 386,00	01010792 391,00	01010794 390,00

Click on the code to direct access of specifications product page.

Click on the price to direct add the product to one order on extranet.



INDEX




Dreno R pag. 3

Drainage



Dreno RF pag. 3



pag. 3



Vortex N pag. 4

Wastewater



Vortex F pag. 4



Vortex SF pag. 4



SV pag. 5

Wastewater - Pro



MC pag. 5



**SV4P
MC4P** pag. 6



SGR pag. 7



BA pag. 7



**Kit Flange
Socla 508** pag. 6
pag. 7



Aqualiju pag. 8

Well



AquaRain pag. 8



Float Kit pag. 8



**SFI
SPI** pag. 9
pag. 10

Borehole 4"



**K-SFI
HFI** pag. 11



Motor pag. 12



CMH pag. 13

Horiz. Mult. Cent.



CMH-I pag. 13



CHS pag. 14



CMV pag. 15

Vert. Mult. Cent.



CMV-I pag. 15



CMVR pag. 16

INDEX



HP CMH pag. 17



HP JET.K pag. 17



PRESS CHS pag. 18

Hidropneumatic



DUO CMH pag. 19



DUO CMV pag. 19




TRI CMH pag. 19

Booster




TRI CMV pag. 19



DUO-I CMH pag. 20



DUO-I CMV pag. 20



TRI-I CMH pag. 20



TRI-I CMV pag. 20



**MA
MB** pag. 21

Centr. Monoblock



Cf2 pag. 22



JET 100 pag. 23



JET1000 pag. 23

Self Priming



1~ 1 cap. pag. 24



1~ 2 cap. pag. 24



3~ pag. 25

Motors



**TF
TFS** pag. 26



Disa. Tools pag. 26



Acessor. pag. 27

Accessories



Acessor. pag. 28



**Cont. Box
Cont. Box** pag. 29
pag. 30



Tanks pag. 31

Dreno R



Power Kw	Dnc "	Max		Type	1~ M	1~ A	3~
		mt	m³/h				
0,15	1	8	5	R 30.15	01011203	01011204	01011205
0,37	1	14	8	R 30.37	01011206	01011207	01011208
0,6	1 ¼	14	12,5	R 35.60	01010797	01010796	01010798
0,75	1 ¼	21	13	R 35.75	01010817	01010818	01010819
0,75	1 ½	14	18,5	R 40.75	01010800	01010799	01010801
0,8	1 ½	21	20	R 40.80	01010790	01010789	01010791
1,1	2	14	31,5	R 50.110	01010803	01010802	01010804
1,5	2	21	34	R 50.150	01010793	01010792	01010794

10m H07RN-F. Seals CAC

Code Fast Delivery

01 – Submersible Electric Pumps for Drainage – PRO

Dreno RF



Power Kw	Dnc "	Max		Type	1~ M	1~ A	3~
		mt	m³/h				
2,2	2	30	40	RF 50.220	01011075	01011078	01011076

20m H07RN-F. Seals SIC-SIC. Flange included in price.

Vortex N



Power Kw	Dnc "	Max mt m³/h		Type	1~ M	1~ A	3~
0,6	1 ¼	11	15	N 35.60	01010671	01010668	01010674
0,15	1 ½	7	10,6	N 40.15	01011051	01011052	01011053
0,37	1 ½	9	16,7	N 40.37	01011027	01011028	01011029
0,75	1 ½	11	18	N 40.75	01010680	01010677	01010683
1,1	2	12	26	N 50.110	01010689	01010686	01010692
1,5	2	14	30	N 50.150	01010752	01010366	01010701

10m H07RN-F. Seals CAC

Code Fast Delivery

Vortex F



Power Kw	Dnc "	Max mt m³/h		Type	1~ M	1~ A	3~
0,6	1 ¼	11	15	F 35.60	01011376	01011375	01011377
0,75	1 ½	11	18	F 40.75	01011379	01011378	01011380
0,75	2	12	25	F 50.75	01011223	01011163	01011167
1,1	2	14	27,5	F 50.110	01011222	01010940	01010942
1,5	2	15	30	F 50.150	01011281	01010941	01010920
1,5	2 ½	13	41	F 65.150	01011226	01010914	01011168
2,2	2 ½	16	48	F 65.220	---	---	01010915
2,2	3	12	63	SF 80.220	01010971	---	01010973
3	3	14	72	SF 80.300	---	---	01010974

10m H07RN-F. Seals SIC-SIC

Code Fast Delivery

SV



Power Kw	Dna	Dnc	Max		Type	1~ M	1~ A	3~
			mt	m³/h				
0,75	DN40	DN40	13	16	SV 40.75	01011181	01011180	01011182
0,75	DN50	DN50	13	26	SV 50.75	01011184	01011183	01011185
1,5	DN50	DN50	14	31	SV 50.150	01011187	01011186	01011188
3	DN65	DN65	12	54	SV 65.300	---	---	01011066
4	DN80	DN80	15	70	SV 80.400	---	---	01011177

10m H07RN-F. Seals SIC-SIC. Flange included in price. Impeller type VORTEX

MC



Power Kw	Dna	Dnc	Max		Type	3~
			mt	m³/h		
2,2	DN50	DN65	16	58	MC 50.220	01330001
3	DN65	DN65	19	67,5	MC 65.300	01010992

20m H07RN-F. Seals SIC-SIC. Flange included in price. Impeller type MONOCANAL

SV4P



Power Kw	Dna	Dnc	Max		Type	3~
			mt	m³/h		
1,1		DN50	13	32	SV4P 50.110	01011483
1,5		DN65	13	55	SV4P 65.150	01011396
2,2		DN80	13	72	SV4P 80.220	01011217
4		DN100	13	90	SV4P 100.400	01011397

10m H07RN-F. Seals SIC-SIC. 4 Pole Pump (1450rpm). Flange included in price.

MC4P



Power Kw	Dna	Dnc	Max		Type	3~
			mt	m³/h		
1,1		DN50	16	32	MC4P 50.110	01011622
1,5		DN65	16	55	MC4P 65.150	01011623
2,2	DN80	DN80	16	72	MC4P 80.220	01011282
4		DN100	16	90	MC4P 100.400	01011624

10m H07RN-F. Seals SIC-SIC. 4 Pole Pump (1450rpm). Flange included in price.

Kit Flange



Type	
kit Flange 1 1/4" D.125	01951023
kit Flange 1 1/2" D.125	01951024
kit Flange 2" D.125	01951025
kit Flange 2" D.150	01951027
kit Flange 2 1/2" DIN 2501	01951016
kit Flange 3" D.185	01951026

Grinder SGR



Power Kw	Dnc "	Max		Type	1~ M	1~ A	3~
		mt	m³/h				
1,5	1 1/2"	21	16,5	SGR 40.150	01011221	01011164	01011153
2,2	2	30	23	SGR 50.220	01011240	01011279	01011169

SGR 40 - 10m H07RN-F and SGR50 - 20m H07RN-F. Seals SIC-SIC. Flange included in price. Pump with grinder system

Code Fast Delivery

BA



Dn "	Type	
2	BA 50	01950934
2 1/2"	BA 65	01950935
3	BA 80	01950957

Socla Mod.508

Non return valve



Type	
Non return Valve Socla Mod. 508 1"	01200092
Non return Valve Socla Mod. 508 1 1/4"	01200093
Non return Valve Socla Mod. 508 1 1/2"	01200090
Non return Valve Socla Mod. 508 2"	01200091
Non return Valve Socla Mod. 508 2 1/2"	01200094

Aqualiju



Power Kw	Dnc "	Max		Type	1~ M	1~ A	3~
		mt	m³/h				
0,37 0,6 0,9	1	30 50 70	4	AJ 3.37 AJ 5.60 AJ 7.90	01010461 01010462 01010483	01010455 01010409 01010456	01010609 01010611 01010469
0,6 0,9 1,3	1 ¼	47 60 85	6,1	A 40.60 A 60.90 A 80.130	01010922 01010925 01010928	01010948 01010926 01010929	01010924 01010927 01010930
1,1 1,5 2,2	1 ½	53 65 77	12	AC 4.110 AC 5.150 AC 6.220	01011323 01011326 01011329	01011324 01011327 01011330	01011325 01011328 01011331
1,5 2,2 3	2	36 46 57	22	AB 3.150 AB 4.220 AB 5.300	01011006 01011009 ---	01011007 --- ---	01011008 01011010 01011011

Stainless steel impellers, 20m H07RN-F. Série AC and AB with angular contact bearing.

Code Fast Delivery

Aqualiju SA



Power Kw	Dnc "	Max		Type	1~ M	1~ A	3~
		mt	m³/h				
0,6 0,9 1,3	1 ¼	47 60 85	6	SA 40.60 SA 60.90 SA 80.130	01011308 01011311 01011314	01011309 01011312 01011315	01011310 01011313 01011316

Angular contact bearing. Stainless steel impellers, 20m H07RN-F

Aqualrain



Power Kw	Dnc "	Max		Type	1~ M	3~
		mt	m³/h			
0,37 0,6 0,6	1	30 40 50	3,9	RJ 3.37 RJ 4.60 RJ 5.60	01011170 01011172 01011174	01011171 01011173 01011175

Stainless steel impellers, 20m H07RN-F

Floating Suction Kit



Type	€
Floating Suction Kit D.25 - 2mt	01250147
Floating Suction Kit D.25 - 4mt	01250148

SFI



Power Kw	Dnc "	Max		Type	1~	3~	
		mt	m³/h				
0,37 0,55 0,55 0,75 1,1 1,1	1 ¼	74 87 109 145 179 215	2,3	SFI A 5.37 SFI A 6.55 SFI A 7.55 SFI A 10.75 SFI A 15.110 SFI A 20.110	01011352 01011354 01011356 01011347 01011086 01011350	01011353 01011355 01011357 01011348 01011349 01011351	
0,37 0,55 0,75 1,1 1,5 2,2		53 70 95 150 210 285		SFI B 5.37 SFI B 7.55 SFI B 10.75 SFI B 15.110 SFI B 20.150 SFI B 30.220	01011096 01011098 01011087 01011089 01011091 01011094	01011097 01011099 01011088 01011090 01011093 01011095	
0,55 0,75 1,1 1,5 2,2 3		48 76 112 155 210 265		SFI C 7.55 SFI C 10.75 SFI C 15.110 SFI C 20.150 SFI C 30.220 SFI C 40.300	01011111 01011100 01011102 01011104 01011107 --- ---	01011112 01011101 01011103 01011106 01011109 01011110	
0,55 0,75 1,1 1,5 2,2 3 4		37 53 80 116 157 220 280		SFI D 7.55 SFI D 10.75 SFI D 15.110 SFI D 20.150 SFI D 30.220 SFI D 40.300 SFI D 50.400	01011121 01011113 01011115 01011117 01011358 --- --- --- ---	01011122 01011114 01011116 01011118 01011119 01011120 01011084	
0,75 1,1 1,5 2,2 3 4 5,5		2 23 35 47 75 100 135 185		13	SFI E 10.75 SFI E 15.110 SFI E 20.150 SFI E 30.220 SFI E 40.300 SFI E 55.400 SFI E 75.550	01011359 01011124 01011343 01011126 --- --- --- --- --- ---	01011123 01011125 01011344 01011127 01011128 01011360 01011129
1,5 2,2 3 4 5,5		2 53 74 100 139 180		14,7	SFI F 20.150 SFI F 30.220 SFI F 40.300 SFI F 55.400 SFI F 75.550	01011345 01011361 --- --- --- --- --- ---	01011346 01011362 01011130 01011363 01011131

Franklin cable in stainless steel. Hidraulic in Stainless steel AISI304. Motor Franklin

SPI



Power Kw	Dnc "	Max		Type	1~	3~
		mt	m³/h			
0,37 0,55 0,55 0,75 1,1 1,1	1 ¼	74 87 109 145 179 215	2,3	SPI A 5.37 SPI A 6.55 SPI A 7.55 SPI A 10.75 SPI A 15.110 SPI A 20.110	01011528 01011530 01011532 01011534 01011536 01011538	01011529 01011531 01011533 01011535 01011537 01011539
0,37 0,55 0,75 1,1 1,5 2,2	1 ¼	53 70 95 150 210 285	3,2	SPI B 5.37 SPI B 7.55 SPI B 10.75 SPI B 15.110 SPI B 20.150 SPI B 30.220	01011499 01011277 01011241 01011242 01011368 ---	01011500 01011247 01011496 01011497 01011369 01011372
0,55 0,75 1,1 1,5 2,2 3	1 ¼	48 76 112 155 210 265	5	SPI C 7.55 SPI C 10.75 SPI C 15.110 SPI C 20.150 SPI C 30.220 SPI C 40.300	01011505 01011501 01011251 01011246 --- ---	01011506 01011248 01011502 01011252 01011250 01011504
0,55 0,75 1,1 1,5 2,2 3	1 ¼	37 53 80 116 157 220	6,6	SPI D 7.55 SPI D 10.75 SPI D 15.110 SPI D 20.150 SPI D 30.220 SPI D 40.300	01011514 01011507 01011509 01011510 --- ---	01011515 01011508 01011249 01011511 01011513 01011371
0,75 1,1 1,5 2,2 3	2	23 35 47 75 100	13	SPI E 10.75 SPI E 15.110 SPI E 20.150 SPI E 30.220 SPI E 40.300	01011516 01011518 01011520 --- ---	01011517 01011519 01011521 01011258 01011523
1,5 2,2 3	2	53 74 100	14,7	SPI F 20.150 SPI F 30.220 SPI F 40.300	01011524 --- ---	01011256 01011526 01011527

Cable in stainless steel. Hydraulic in Stainless steel AISI304. Motor OLIJU



HFI

Dnc "	Type	
1 ¼	HFI B 5.37 HFI B 7.55 HFI B 10.75 HFI B 15.110 HFI B 20.150 HFI B 30.220	01150021 01150022 01150023 01150024 01150025 01150026
1 ¼	HFI C 7.55 HFI C 10.75 HFI C 15.110 HFI C 20.150 HFI C 30.220 HFI C 40.300	01150027 01150028 01150029 01150030 01150031 01150032
1 ¼	HFI D 7.55 HFI D 10.75 HFI D 15.110 HFI D 20.150 HFI D 30.220 HFI D 40.300 HFI D 50.400	01150033 01150034 01150035 01150036 01150037 01150038 01150020
2	HFI E 10.75 HFI E 15.110 HFI E 20.150 HFI E 30.220 HFI E 40.300 HFI E 55.400 HFI E 75.550	01150051 01150052 01150053 01150054 01150055 01150056 01150057
2	HFI F 20.150 HFI F 30.220 HFI F 40.300 HFI F 55.400 HFI F 75.550	01150058 01150059 01150060 01150061 01150062

Hydraulic in Stainless steel AISI304

Kit K-SFI

Hydraulic in Stainless steel AISI304

Start Box for single phase pumps

Motor Franklin

Cable and Cord (15m or 30m or 40m)

Power Kw	Dnc "	Max		Type	Cable/Cord mt	1~	3~
0,37	1 ¼	53	3,2	Kit K-SFI B 5.37	15	01951049	---
0,55		70		Kit K-SFI B 7.55	15	01951050	01951051
0,75		95		Kit K-SFI B 10.75	30	01951045	01951046
1,1		150		Kit K-SFI B 15.110	40	01951047	01951048
0,55	1 ¼	48	5	Kit K-SFI C 7.55	15	01951054	01951055
0,75		76		Kit K-SFI C 10.75	30	01950942	01951052
1,1		112		Kit K-SFI C 15.110	40	01951031	01951053
0,55	1 ¼	37	6,6	Kit K-SFI D 7.55	15	01951059	01951060
0,75		53		Kit K-SFI D 10.75	15	01951056	01951057
1,1		80		Kit K-SFI D 15.110	30	01950948	01951058

Franklin cable in stainless steel

Motor Franklin



Power Kw	Série	Type	1~	3~
0,37 0,55 0,75 1,1 1,5 2,2	4	Motor 0,37 Motor 0,5 Motor 0,75 Motor 1,1 Motor 1,5 Motor 2,2	01030037 01030039 01030041 01030043 01030045 01030099	01030059 01030061 01030063 01030065 01030067 01030072
2,2 3 4 5,5	4" 6500N	Motor 2,2 Motor 3 Motor 4 Motor 5,5	--- --- --- --- --- --- --- ---	01030075 01030077 01030079 01030081

Stainless Steel cable premonted on motor

Motor OLIJU



Power Kw	Série	Type	1~	3~
0,37 0,55 0,75 1,1 1,5 2,2	4" 2000N	Motor 0,37 Motor 0,5 Motor 0,75 Motor 1,1 Motor 1,5 Motor 2,2	01030095 01030085 01030086 01030087 01030088 --- ---	01030096 01030089 01030090 01030091 01030092 01030093
3	4" 3000N	Motor 3	--- ---	01030094

Oil bath motor.

Cable

Section mm	Length mt	Type	
4 X 1,5 4 X 2,0	1,7 2,7	Inox Cable	01030108 01030109

CMH



Power Kw	Dna "	Dnc "	Max		Type	1~		3~	
			mt	m³/h					
0,37	1	1	21	3,9	CMH 12.37	01010255		01010256	
0,37			32		CMH 13.37	01010257		01010258	
0,6			40		CMH 14.60	01010259		01010260	
0,6			50		CMH 15.60	01010261		01010262	
0,9			60		CMH 16.90	01010395		01010396	
0,75	1	1	38	7	CMH 23.75	01010263		01010264	
0,8			50		CMH 24.80	01010265		01010266	
1,2			63		CMH 25.120	01010267		01010268	
1,2			75		CMH 26.120	01010416		01010417	
1,5			88		CMH 27.150	01010540		01010539	
0,9	1 ¼"	1 ¼"	40	10,5	CMH 33.90	01010269		01010270	
1,1			50		CMH 34.110	01010271		01010272	
1,5			66		CMH 35.150	01010273		01010274	
2,2			81		CMH 36.220	01010418		01010275	
1,5	1 ½"	1 ½"	36	22	CMH 43.150	01011000		01010993	
2,2			46		CMH 44.220	01011001		01010994	
3			57		CMH 45.300	---	---		01010995

Stainless steel impellers

Code

Fast Delivery

CMH-I (with inverter)



Power Kw	Dna "	Dnc "	Max		Type	1~		3~	
			mt	m³/h					
0,37 0,37 0,6 0,6 0,9	1	1	21 32 40 50 60	3,9	CMH-I 12.37 CMH-I 13.37 CMH-I 14.60 CMH-I 15.60 CMH-I 16.90	01011625		01011626	
01011627			01011628						
01011629			01011630						
01011631			01011632						
01011633			01011634						
0,75 0,8 1,2 1,2 1,5	1	1	38 52 67 78 91	7	CMH-I 23.75 CMH-I 24.80 CMH-I 25.120 CMH-I 26.120 CMH-I 27.150	01011428		01011429	
01011430			01011431						
01011370			01011432						
01011433			01011434						
01011435			01011436						
0,9 1,1 1,5 2,2	1 ¼"	1 ¼"	40 50 66 81	10,5	CMH-I 33.90 CMH-I 34.110 CMH-I 35.150 CMH-I 36.220	01011437		01011438	
01011439			01011384						
01011440			01011441						
01011442			01011443						
1,5 2,2 3	1 ½"	1 ½"	36 46 57	22	CMH-I 43.150 CMH-I 44.220 CMH-I 45.300	01011444		01011445	
01011383			01011446						
---			01011447						

Stainless steel impellers. Expansion vessel 12L included.

SKF Low Noise Bearings



CHS

Power Kw	Dna "	Dnc "	Max		Type	1~	3~
			mt	m³/h			
0,37 0,6 0,6 0,9	1	1	32 40 50 60	3,9	CHS 3-3 CHS 3-4 CHS 3-5 CHS 3-6	01011584 01011586 01011588 01011590	01011585 01011587 01011589 01011591
0,75 0,8 1,2 1,2 1,5	1	1	38 50 63 75 88	7	CHS 5-3 CHS 5-4 CHS 5-5 CHS 5-6 CHS 5-7	01011592 01011594 01011596 01011598 01011600	01011593 01011595 01011597 01011599 01011601
0,9 1,1 1,5 2,2	1 ¼"	1 ¼"	40 50 66 81	10,5	CHS 8-3 CHS 8-4 CHS 8-5 CHS 8-6	01011602 01011604 01011606 01011608	01011603 01011605 01011607 01011609
1,5 2,2 3	2"	1 ½"	36 46 57	22	CHS 16-3 CHS 16-4 CHS 16-5	01011610 01011612 ---	01011611 01011613 01011614

Stainless steel impellers

Code Fast Delivery

CHS-I (with inverter)

Power Kw	Dna "	Dnc "	Max		Type	1~	3~
			mt	m³/h			
0,37 0,6 0,6 0,9	1	1	32 40 50 60	3,9	CHS-I 3-3 CHS-I 3-4 CHS-I 3-5 CHS-I 3-6	01011637 01011639 01011641 01011643	01011638 01011640 01011642 01011644
0,75 0,8 1,2 1,2 1,5	1	1	38 52 67 78 91	7	CHS-I 5-3 CHS-I 5-4 CHS-I 5-5 CHS-I 5-6 CHS-I 5-7	01011645 01011647 01011649 01011651 01011653	01011646 01011648 01011650 01011652 01011654
0,9 1,1 1,5 2,2	1 ¼"	1 ¼"	40 50 66 81	10,5	CHS-I 8-3 CHS-I 8-4 CHS-I 8-5 CHS-I 8-6	01011655 01011657 01011659 01011661	01011656 01011658 01011660 01011662
2,2 2,2 3	1 ½"	1 ½"	36 46 57	22	CHS-I 16-3 CHS-I 16-4 CHS-I 16-5	01011663 01011665 ---	01011664 01011666 01011667

Stainless steel impellers. Expansion vessel 12L included.

CMV



Power Kw	Dna "	Dnc "	Max		Type	1~		3~	
			mt	m³/h					
0,8 1,2 1,2 1,5	1	1	52	7,2	CMV 24.80	01010278		01010279	
			67		CMV 25.120	01010280		01010281	
			78		CMV 26.120	01010646		01010647	
			91		CMV 27.150	01010864		01010763	
0,9 1,1 1,5 2,2 3	1 ½"	1 ¼"	40	10,5	CMV 33.90	01010282		01010283	
			50		CMV 34.110	01010284		01010285	
			66		CMV 35.150	01010286		01010287	
			78		CMV 36.220	01010648		01010288	
			103		CMV 38.300	---	---	01010565	
2,2 3 4	1 ½"	1 ¼"	48	22	CMV 44.220	---	---	01010868	
			72		CMV 46.300	---	---	01010869	
			84		CMV 47.400	---	---	01010870	

Stainless steel impellers

Code

Fast Delivery

CMV-I (with inverter)



Power Kw	Dna "	Dnc "	Max		Type	1~		3~	
			mt	m³/h					
0,8 1,2 1,2 1,5	1	1	52	7,2	CMV-I 24.80	01011413		01011403	
			67		CMV-I 25.120	01011404		01011414	
			78		CMV-I 26.120	01011415		01011416	
			91		CMV-I 27.150	01011417		01011418	
0,9 1,1 1,5 2,2 3	1 ½"	1 ¼"	40	10,5	CMV-I 33.90	01011419		01011420	
			50		CMV-I 34.110	01011342		01011421	
			66		CMV-I 35.150	01011422		01011423	
			78		CMV-I 36.220	01011424		01011425	
			103		CMV-I 38.300	---	---	01011426	
2,2 3 4	1 ½"	1 ¼"	48	22	CMV-I 44.220	---	---	01011401	
			72		CMV-I 46.300	---	---	01011427	
			84		CMV-I 47.400	---	---	01011402	

Stainless steel impellers. Expansion vessel 12L included.



CMVR

Power Kw	Dna "	Dnc "	Max		Type	3~
			mt	m³/h		
4	DN50	DN50	45		CMVR 20-3	01011668
5,5			60		CMVR 20-4	01011669
5,5			75		CMVR 20-5	01011551
7,5			90		CMVR 20-6	01011670
7,5			105		CMVR 20-7	01011671
4	DN65	DN65	40		CMVR 32-2	01011672
5,5			60		CMVR 32-3	01011673
7,5			80		CMVR 32-4	01011674
11			100		CMVR 32-5	01011675
4	DN80	DN80	20		CMVR 45-1	01011676
7,5			50		CMVR 45-2	01011677
11			80		CMVR 45-3	01011678

Stainless steel impellers

Available from the second half

HP CMH



Power Kw	Dna "	Dnc "	Max		Type	1~	3~
			mt	m³/h			
0,37	1	1	32	3,9	HP CMH 13.37	01950766	01950767
0,6			40		HP CMH 14.60	01950378	01950768
0,6			50		HP CMH 15.60	01950379	01950769
0,75	1	1	38	6,9	HP CMH 23.75	01950770	01950771
0,8			52		HP CMH 24.80	01950380	01950772
1,2			67		HP CMH 25.120	01950377	01950773

HP JET



Power Kw	Dna "	Dnc "	Max		Type	1~	3~
			mt	m³/h			
0,8	1	1	55	3,6	HP JET 100.80	01950966	
0,8	1	1	55	3,6	HP JET 1000.80	01951007	

HP JET.K



Power Kw	Dna "	Dnc "	Max		Type	1~	3~
			mt	m³/h			
0,8	1	1	55	3,6	HP JET.K 100.80	01950974	01950975
0,8	1	1	55	3,6	HP JET.K 1000.80	01950992	01950993

Principal components:

- 1 Electric pump
- 1 Pressure tank 24Lt
- 1 Switch
- 1 Flexible pipe in version with horizontal tank

PRESS CMH



Power Kw	Dna "	Dnc "	Max		Type	1~
			mt	m³/h		
0,6	1	1	40	3,9	PRESS CMH 14	01951123
0,8			50	7	PRESS CMH 24	01951124

PRESS CHS



Power Kw	Dna "	Dnc "	Max		Type	1~
			mt	m³/h		
0,6	1	1	40	3,9	PRESS CHS 3-4	01951125
0,8			50	7	PRESS CHS 5-4	01951126

PRESS JET



Power Kw	Dna "	Dnc "	Max		Type	1~
			mt	m³/h		
0,8	1	1	55	3,6	PRESS JET 1000	01951127

Duo CMH / CMV



Power Kw	Max mt m³/h		Discharge Manifold	Type	1~	3~
1,1 1,5 2,2	50 66 81	10,5	2"	DUO CMH 34.110 DUO CMH 35.150 DUO CMH 36.220	01950856 01950858 ---	01950857 01950859 01950860
1,2 1,5	67 91	14,4	1 1/2"	DUO CMV 25.120 DUO CMV 27.150	01950861 01950863	01950862 01950864
0,9 1,1 1,5 2,2 3	40 50 66 78 103	21	2"	DUO CMV 33.90 DUO CMV 34.110 DUO CMV 35.150 DUO CMV 36.220 DUO CMV 38.300	01950865 01950919 --- --- ---	01950866 01950920 01950867 01950918 01950868
2,2 3 4	48 72 84	44		DUO CMV 44.220 DUO CMV 46.300 DUO CMV 47.400	--- --- ---	01950999 01951000 01951001

Principal components:

2 Electric pumps CMH or CMV

1 Control panel

2 Danfoss Switches on version with control panel

2 Sectioning valves

2 Retention valves

1 Discharge manifold AISI304

Optionals not included in price:

1 Pressure tank

1 Suction manifold AISI304 with 2 sectioning Valves

Tri CMH / CMV



Power Kw	Max mt m³/h		Discharge Manifold	Type	1~	3~
1,1 1,5 2,2	50 66 81	31,5	2"	TRI CMH 34.110 TRI CMH 35.150 TRI CMH 36.220	01950988 --- ---	01950989 01950990 01950991
1,2 1,5	67 91	21,6	2"	TRI CMV 25.120 TRI CMV 27.150	01950976 ---	01950977 01950978
0,9 1,1 1,5 2,2 3	40 50 66 78 103	31,5		TRI CMV 33.90 TRI CMV 34.110 TRI CMV 35.150 TRI CMV 36.220 TRI CMV 38.300	01950979 01950981 --- --- ---	01950980 01950982 01950983 01950984 01950968
2,2 3 4	48 72 84	66		TRI CMV 44.220 TRI CMV 46.300 TRI CMV 47.400	--- --- ---	01950985 01950986 01950987

Principal components:

3 Electric pumps CMH or CMV

1 Control panel

3 Danfoss Switches on version with control panel

3 Sectioning valves

3 Retention valves

1 Discharge manifold AISI304

Optionals not included in price:

1 Pressure tank

1 Suction manifold AISI304 with 3 sectioning Valves

Duo-I CMH / CMV (with Inverter)



Power Kw	Max mt m³/h		Discharge Manifold	Type	1~	3~
1,1	50		2"	DUO-I CMH 34.110	01951092	01951093
1,5	66	10,5		DUO-I CMH 35.150	01951071	01951094
2,2	81			DUO-I CMH 36.220	---	01951095
1,2	67	14,4	1 1/2"	DUO-I CMV 25.120	01951096	01951097
1,5	91	14,4		DUO-I CMV 27.150	01951098	01951099
0,9	40	21	2"	DUO-I CMV 33.90	01951090	01951100
1,1	50	21		DUO-I CMV 34.110	01951076	01951101
1,5	66	21		DUO-I CMV 35.150	---	01951102
2,2	78	21		DUO-I CMV 36.220	---	01951066
3	103	21		DUO-I CMV 38.300	---	01951103
2,2	48	44		DUO-I CMV 44.220	---	01951083
3	72	44		DUO-I CMV 46.300	---	01951104
4	84	44		DUO-I CMV 47.400	---	01951105

Principal components:

2 Electric pumps CMH or CMV

2 Inverters

1 Expansion vessel 12L in version with Inverter

2 Sectioning valves

2 Retention valves

1 Discharge manifold AISI304

Optionals not included in price:

1 Pressure tank

1 Suction manifold AISI304 with 2 sectioning Valves

Tri-I CMH / CMV (with Inverter)



Power Kw	Max mt m³/h		Discharge Manifold	Type	1~	3~
1,1	50		2"	TRI-I CMH 34.110	01951106	01951107
1,5	66	31,5		TRI-I CMH 35.150	---	01951108
2,2	81			TRI-I CMH 36.220	---	01951109
1,2	67	21,6	2"	TRI-I CMV 25.120	01951110	01951111
1,5	91			TRI-I CMV 27.150	---	01951112
0,9	40			TRI-I CMV 33.90	01951113	01951114
1,1	50			TRI-I CMV 34.110	01951115	01951116
1,5	66	31,5		TRI-I CMV 35.150	---	01951117
2,2	78			TRI-I CMV 36.220	---	01951118
3	103			TRI-I CMV 38.300	---	01951119
2,2	48			TRI-I CMV 44.220	---	01951120
3	72	66		TRI-I CMV 46.300	---	01951121
4	84			TRI-I CMV 47.400	---	01951122

Principal components:

3 Electric pumps CMH or CMV

3 Inverters

1 Expansion vessel 12L in version with Inverter

3 Sectioning valves

3 Retention valves

1 Discharge manifold AISI304

Optionals not included in price:

1 Pressure tank

1 Suction manifold AISI304 with 3 sectioning Valves

MB – Closed impeller



Power Kw	Dn "	Max		Type	1~	3~
		mt	m³/h			
0,55	1 ¼	20	12	MB35 20.55	01011210	01011211
0,55		28	10	MB35 28.55	01011212	01011213
0,75		22	9	MB35 22.75	01010063	01010075
0,75		30	10	MB35 30.75	01010065	01010077
1,1		30	14	MB35 30.110	01010365	01010083
1,5		40	10	MB35 40.150	---	01010089
0,55	1 ½	16	15	MB40 16.55	01011214	01011215
0,75		22	16	MB40 22.75	01010061	01011063
1,1		25	10	MB40 25.110	01010517	01010082
1,1		30	17	MB40 30.110	01010070	01011003
1,5		30	18	MB40 30.150	---	01010088
2,2		35		MB40 35.220	---	01010093
2,2		40		MB40 40.220	---	01010094
1,1	2	22	21	MB50 22.110	01010067	01010556
1,5		22	26	MB50 22.150	---	01010086
2,2		27		MB50 27.220	---	01010092
3		30		MB50 30.300	---	01010099
3		35	30	MB50 35.300	---	01010100
4		50		MB50 50.400	---	01010103
2,2	2 ½	22	32	MB65 22.220	---	01010091
3		22	40	MB65 22.300	---	01010096
3		27		MB65 27.300	---	01010097
4		30		MB65 30.400	---	01010102
5,5		35		MB65 35.550	---	01010105
3	3	22	60	MB80 22.300	---	01010098
4		25	56	MB80 25.400	---	01010101
5,5		30	60	MB80 30.550	---	01010104
5,5		35		MB80 35.550	---	01010106

MA – Open impeller



Power Kw	Dn "	Max		Type	1~	3~
		mt	m³/h			
0,75	1 ¼	22	9	MA35 22.75	01011036	01011049
1,1	1 ½	20	15	MA40 20.110	01011030	01011050
1,1		25		MA40 25.110	01010957	01010958

Centrifugal pump for coupling CFA2

Centrifugal Pump of double turbine and for engagement, ideal for applications requiring the use of motor fuel.

Material: Aluminum

NOTE: Motor not included in price



Motor	Dna "	Dnc "	Max mt m³/h		Type	
Gasoline 18cv	3	2	130	42	CF2 80.50	01011159
Gasoline 18cv	3	2	130	42	CF2 80.50 nickel plated	01011176

Jet 100



Power Kw	Dn "	Max		Type	1~	3~
		mt	m³/h			
0,8	1	55	3,6	JET 100.80	01010996	01010998

Jet 1000



Power Kw	Dn "	Max		Type	1~	3~
		mt	m³/h			
0,8	1	55	3,6	JET 1000.80	01010997	01010999
Code	Fast Delivery					

Single Fase



Power Kw	RPM	Frame Size	Type	B3	B14	B5
0,37	1500	71	OF 71.37.1 – 4	01080001	01080000	01080004
0,6		80	OF 80.60.1 – 4	01080013	01080124	01080125
0,75			OF 80.75.1 – 4	01080018	01080016	01080021
1,1		90S	OF 90.110.1 – 4	01080121	01080128	01080129
1,5		90L	OF 90.150.1 – 4	01080122	01080130	01080131
1,8			OF 90.180.1 – 4	01080149	01080150	01080151
0,37		71	OS 71.37.1 – 4	01080060	01080059	01080061
0,6		80	OS 80.60.1 – 4	01080066	01080126	01080127
0,75			OS 80.75.1 – 4	01080068	01080067	01080070
1,1		90S	OS 90.110.1 – 4	01080132	01080133	01080134
1,5		90L	OS 90.150.1 – 4	01080135	01080136	01080137
1,8		90L	OS 90.180.1 – 4	01080152	01080153	01080154

Single Fase 2 Capacitors



Power Kw	RPM	Frame Size	Type	B3	B14	B5
1,1	1500	90S	OFL 90.110.1 – 4	01080044	01080043	01080045
1,5		90L	OFL 90.150.1 – 4	01080048	01080047	01080050
1,8			OFL 90.180.1 – 4	01080052	01080051	01080054
1,1		90S	OSL 90.110.1 – 4	01080081	01080080	01080082
1,5		90L	OSL 90.150.1 – 4	01080084	01080083	01080085
1,8			OSL 90.180.1 – 4	01080087	01080086	01080088

Three Fases 4 Poles




Power Kw	RPM	Frame Size	Type	B3	B14	B5
0,37	1500	71	OT 71.37.3 - 4	01080101	01080100	01080103

Three Fases 2 Poles



Power Kw	RPM	Frame Size	Type	B3	B14	B5
1,5	3000	90	OT 90.150.3 - 2	01080105	01080104	01080106
2,2			OT 90.220.3 - 2	01080108	01080107	01080109
3	3000	100	OT 100.300.3 - 2	01080092	01080091	01080093
4	3000	112	OT 112.400.3 - 2	01080095	01080094	01080096
5,5	3000	132	OT 132.550.3 - 2	01080098	01080097	01080099

Borehole Cover 4"



Conection	Type	
1"	TF 4" - 1"	01250138
1 1/4"	TF 4" - 1 1/4"	01250139
1 1/2"	TF 4" - 1 1/2"	01250140
2"	TF 4" - 2"	01250141
DN	TF 4" - 1"	01250142
DN	TF 4" - 1 1/4"	01250143
DN	TF 4" - 1 1/2"	01250144
DN	TF 4" - 2"	01250145

Stainless Steel Borehole Cover 4"



Conection	Type	
1"	TFS 4" - 1"	01250159
1 1/4"	TFS 4" - 1 1/4"	01250160
1 1/2"	TFS 4" - 1 1/2"	01250161
2"	TFS 4" - 2"	01250162

Disassembly tools Aqualiju



Pump Type	Type	
Aqualiju AJ	Disassembly tools	01230689
Aqualiju A	Disassembly tools	01230688
Aqualiju AC	Disassembly tools	01230699

Brass Check valve VALSTOP H151



Type	
1"	01250133
1 1/4"	01250134
1 1/2"	01250155
2"	01250176

AISI304 Check valve IDRJA



Type	
1"	01250181
1 1/4"	01250182
1 1/2"	01250183
2"	01250184

Brass threaded hexagon nipple M/M



Type	
1/2"	01250002
1"	01250003
1 1/4"	01250004
1 1/2"	01250005
2"	01250006
2 1/2"	01250007
3"	01250129

Pressure Gauge



Type	
ABS case Ø53 0-6bar	01260003
ABS case Ø53 0-10bar	01260005
ABS case Ø63 0-6bar	01260004
ABS case Ø63 0-10bar	01260006
AISI304 case w/Glycerin Ø63 0-6bar	01260050
AISI304 case w/Glycerin Ø63 0-10bar	01260051
AISI304 case w/Glycerin Ø63 0-25bar	01260047

Pressure Switch Danfos



Type	
380V CS 2- 6bar	01120080
380V CS 4- 12bar	01120081
380V CS 7- 20bar	01120241



Heatshrinkable Kit

25cm with glue + 4 internal unions and tubes without glue	01120095
25cm with glue + 4 internal unions and tubes with glue	01120105

Automatic Circuit Breaker



Range A	
0,1 ~ 1,0	01120065
1,0 ~ 1,6	01120064
1,6 ~ 2,5	01120022
2,5 ~ 4,0	01120023
4,0 ~ 6,3	01120024
6,3 ~ 10	01120025
10 ~ 16	01120026



Pressure controller.
Replaces the autoclave and pressure switch.
Protection against dry work.

PressflowTech

Type	Start Pressure	Max Flow L/h	bar	MAX kw	A	
Controlpump FM15	1,5	6.000	10	1,5	8	01120158
Optimatic RM	1,5-3	8.000	10	1,5	8	01120164
Compact 2 R	1,5-3	10.000	10	1,5	8	01120255
Digimatic 2	0,5-4	8.000	8	2,2	16	01120299

Digital pressure switch with digital pressure gauge. Need an autoclave. Protection against over-intensities and dry work. Alarm for fast cycles.

Switchmatic



Type	Start Pressure	MAX kw	A	
Switchmatic 2	0,5-7	2,2	16	01120240

Electronic pump protection.
Protection against over-intensities and dry work.
Alarm for fast cycles.

Safematic



Type	Start Pressure	Power kw	
Safematic	0,5-7	0,37 - 2,2	01120274

Speedmatic Easy

Frequency inverter for a pump.
Protection against over-intensities and dry work.
Protection against supply voltage.



Type	Pressure bar	Max Flow L/h	Supply voltage	Output voltage	Max A	
09 MM				1 ~ 230	9	01120247
12 MM				1 ~ 230	12	01120248
06 MT	0,5 - 8	10.000	1 ~ 230	3 ~ 400	6	01120302
10 MT				3 ~ 400	10	01120272

Discontactor



Control and protection of water pumps used on situations where the use of the level relay is not needed for protection in lack of water, due to this protection not being needed or is made by float switch or minimum pressure pressure-switch

DANFOSS Contactor and Relay

Regulation A	1~	3~
1,8 ~ 2,8	01120187	01120192
2,7 ~ 4,2	01120188	01120193
4,0 ~ 6,2	01120189	01120194
6,0 ~ 9,2	01120190	01120195
8,0 ~ 12,0	01120191	01120197
1,8 ~ 2,8 2,7 ~ 4,2 4,0 ~ 6,2 6,0 ~ 9,2 8,0 ~ 12,0	01120198 01120199 01120200 01120201 01120202	01120203 01120204 01120205 01120206 01120207
1,8 ~ 2,8 2,7 ~ 4,2 4,0 ~ 6,2 6,0 ~ 9,2 8,0 ~ 12,0	--- --- --- --- ---	01120208 01120209 01120210 01120211 01120212

Level



Control and protection of water pumps used on pressurized water supply and irrigation systems, through water extraction in wells, artesian holes or other reservoirs.

DANFOSS Contactor and Relay

Regulation A	1~	3~
1,8 ~ 2,8	01120213	01120160
2,7 ~ 4,2	01120214	01120161
4,0 ~ 6,2	01120215	01120163
6,0 ~ 9,2	01120216	01120218
8,0 ~ 12,0	01120217	01120149
1,8 ~ 2,8 2,7 ~ 4,2 4,0 ~ 6,2 6,0 ~ 9,2 8,0 ~ 12,0	--- --- --- --- ---	01120219 01120220 01120221 01120222 01120223

Level Well + Deposit



Control and protection of water pumps used in filling of deposits, through water extraction in wells, artesian holes or other reservoirs.

DANFOSS Contactor and Relay

Regulation A	1~	3~
1,8 ~ 2,8	01120224	01120230
2,7 ~ 4,2	01120225	01120231
4,0 ~ 6,2	01120226	01120232
6,0 ~ 9,2	01120227	01120233
8,0 ~ 12,0	01120228	01120234



Protection and command of waterpumps, without the need for level probes.

DANFOSS Contactor

Level Propump Digital – Pressure

Regulation A	1~	3~
0,1 ~ 12,0	01120093	01120094
0,1 ~ 16,0	01120236	01120109
0,1 ~ 25,0	01120237	01120238



Protection and command of waterpumps, without the need for level probes.

DANFOSS Contactor

Level Propump Digital – Residual Waters

Regulation A	1~	3~
0,1 ~ 12,0	01120275	01120277
0,1 ~ 25,0	01120276	01120278



Used in the control and protection of 2 electric pumps in hydropneumatic plants or effluent pumping.

With Alarm

DANFOSS Contactor and Relay

Alternating 2 Pumps

Regulation A	1~	3~
1,8 ~ 2,8	01120180	01120183
2,7 ~ 4,2	01120181	01120084
4,0 ~ 6,2	01120182	01200086
6,0 ~ 9,2	01120085	01120083
8,0 ~ 12,0	01120082	01120089
1,8 ~ 2,8	01120184	01120150
2,7 ~ 4,2	01120185	01120171
4,0 ~ 6,2	01120138	01120146
6,0 ~ 9,2	01120134	01120143
8,0 ~ 12,0	01120135	01120186



Control and protection of pumps used in swimming pools water circulation systems.

DANFOSS Contactor and Relay

Swimming Pool

Regulation A	1~	3~
1,8 ~ 2,8	01120279	01120284
2,7 ~ 4,2	01120280	01120285
4,0 ~ 6,2	01120281	01120286
6,0 ~ 9,2	01120282	01120287
8,0 ~ 12,0	01120283	01120288
1,8 ~ 2,8	01120289	01120294
2,7 ~ 4,2	01120290	01120295
4,0 ~ 6,2	01120291	01120296
6,0 ~ 9,2	01120292	01120297
8,0 ~ 12,0	01120293	01120298

Elbi Tank



Type	Capacity L	Ppre bar	Pmáx bar	Conection "	
AS 25 CE	24	1,5	8	1 M	01040046
AC 25 GPM CE (Horiz.)	24				01040043
AFV 35 CE	35	1,5	10	1 M	01040063
AFV 50 CE	50				01040064
AFV 60 CE	60				01040065
AFV 80 CE	80				01040066
AFV 100 CE	100				01040067
AFV 150 CE	150	1,5	10	1 1/4 M	01040068
AFV 200 CE	200				01040069
AFV 300 CE	300				01040070
AFV 500 CE	500				01040071
AFV 16bar 24 CE	24	1,5	16	1 M	01040094
AFV 16bar 100 CE	100				01040095
AFV 16bar 200 CE	200				01040096
AFV 16bar 300 CE	300				01040097
AFV 16bar 500 CE	500	2,5			01040098
DP 8 CE	8	3	10	3/4 M	01040106
DP 11 CE	11				01040107
DP 18 CE	18				01040108
DP 24 CE	24	3	10	1 M	01040109
DP 35 CE	35				01040110

Wellmate Tank



Type	Capacity L	Ppre bar	Pmáx bar	Conection "	
WM0060	55	1,65	8,6	1 M	01040047
WM0075	75				01040052
WM0120	112				01040049
WM0150	153				01040053
WM0180	178	1,65	8,6	1 1/4 M	01040048
WM0235	227				01040050
WM0330	328				01040054
WM0450	453				01040055

Wellmate Air Cell/Bladder Replacement Kit



Type	
WM-AC-0060	01040056
WM-AC-0075	01040057
WM-AC-0120	01040051
WM-AC-0150	01040058
WM-AC-0180	01040059
WM-AC-0235	01040060
WM-AC-0330	01040061
WM-AC-0450	01040062
WM-AC-0600	01040101

Submersible Electric Pumps for Drainage



Type	KW		A		Cap. uF	Ø		Q m³/h l/min														
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc		0	1,5	3	4,5	6	7,5	10,5	12	15	18	21	24	27	30
R 30.15	0,15	0,15	2,9	1,1	12,5	--	1"	H meters	8	6,7	4,9	2,7										
R 30.37	0,37	0,37	3,4	1,3	16	--	1"		14	12,6	10,6	8,1	5,2	1,7								
R10 35.60	0,6	0,6	4,0	1,8	16	--	1 1/4"		14	12,9	11,7	10,4	9	7,5	4,2	2,4						
R10 40.75	0,75	0,75	5,0	2,6	20	--	1 1/2"		14	13,3	12,7	11,9	11,1	10,2	8,1	6,9	4,4	1,5				
R10 50.110	1,1	1,1	8,5	3,0	35	--	2"		14	13,6	13,4	13,2	12,9	12,5	11,7	11,3	10,2	8,9	7,4	5,7	3,8	1,7
R20 35.75	0,75	0,75	5,4	2,6	20	--	1 1/4"		21	19	16,9	14,6	12,3	9,7	4,3	1,3						
R20 40.80	0,8	0,8	7,8	3,0	20	--	1 1/2"		21	19,6	18,2	16,7	15,2	13,7	10,6	9	5,7	2,3				
R20 50.150	1,5	1,5	8,8	4,0	40	--	2"		21	19,9	19,2	18,5	17,7	17	15,4	14,6	13	11,3	9,5	7,7	5,9	3,9

Submersible Electric Pumps for Drainage



Type	KW		A		Cap.	Ø		Q	m³/h l/min	0	6	12	18	21	24	27	30	33	36	39
	1~230V	3~400V	1~230V	3~400V	uF	Dna	Dnc			0	100	200	300	350	400	450	500	550	600	650
RF 50.220	2,2	2,2	5,3		50	--	0	H meters	30	29	26,8	23,4	21,3	18,9	16,1	13,1	9,8	6,2	2,2	

Submersible Electric Pumps for Wastewater – Vortex N



Type	KW		A		Cap. uF	Ø		Q m³/h l/min														
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc		0	1,5	3	4,5	6	7,5	10,5	12	15	18	21	24	27	30
N 40.15	0,15	0,15	3	1	12	33mm	1 1/2"	H meters	7	6,3	5,5	4,7	3,9	3	1,1							
N 40.37	0,37	0,37	3,4	1,3	16	33mm	1 1/2"		9	8,5	8	7,4	6,8	6,1	4,6	3,7	1,8					
N 35.60	0,6	0,6	5,2	1,4	16	33mm	1 1/4"		11	10	8,8	7,6	6,5	5,3	3,2	2,2	0,2					
N 40.75	0,75	0,75	6,4	2,6	20	38mm	1 1/2"		11	10,2	9,5	8,8	8	7,2	5,4	4,5	2,5	0,4				
N 50.110	1,1	1,1	9	3	35	50mm	2"		12	11,9	11,2	10,5	9,8	9,1	7,7	6,9	5,5	4,1	2,6	1,1		
N 50.150	1,5	1,5	9,4	3,7	40	50mm	2"		14	13,6	12,9	12,1	11,3	10,6	9,1	8,4	7	5,6	4,2	2,9	1,5	0,3
NR 30.15	0,15	0,15	2,9	1,1	12,5	25mm	1"		8	6,7	4,9	2,7										
NR 30.37	0,37	0,37	3,2	1,3	16	25mm	1"		12	10,2	8,1	5,6	2,7									
NR 50.110	1,1	1,1	9	3	35	50mm	2"		12	11,9	11,2	10,5	9,8	9,1	7,7	6,9	5,5	4,1	2,6	1,1		
NR 50.150	1,5	1,5	9,4	3,7	40	50mm	2"		14	13,6	12,9	12,1	11,3	10,6	9,1	8,4	7	5,6	4,2	2,9	1,5	0,3

Submersible Electric Pumps for Wastewater – Vortex F



Type	KW		A		Cap. uF	Ø		Q	m³/h l/min	0	3	6	9	12	15	18	24	27	30	36	48	60	72
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc			0	50	100	150	200	250	300	400	450	500	600	800	1000	1200
F 35.60	0,6	0,6	5,2	1,4	16	33mm	1 1/4"	H meters		11	10,1	8,1	5,7	3	0								
F 40.75	0,75	0,75	6,4	2,6	20	38mm	1 1/2"			11	9,7	8,4	6,8	4,9	2,7	0							
F 50.75	0,75	0,75	7,7	2,8	20	50mm	2"			12	11,4	10,3	9	7,7	6,2	4,6	1,1						
F 50.110	1,1	1,1	8,9	3	35	50mm	2"			14	13,1	12,1	10,9	9,5	8	6,4	2,7	0,7					
F 50.150	1,5	1,5	9,8	3,7	35	50mm	2"			15	14,1	13,1	12	10,8	9,4	7,8	4,4	2,4	0				
F 65.150	1,5	1,5	11,3	4,8	40	65mm	2 1/2"			13	12,5	12	11	10	9	8	6	5,1	4,1	2,2			
F 65.220	--	2,2	--	6,1	--	65mm	2 1/2"			16	15,3	14,4	13,5	12,6	11,7	10,7	8,8	7,9	6,9	4,9	0		
SF 80.220	2,2	2,2	12,2	5	50	80mm	3"			12	11,5	11	10,5	10	9,6	9,1	8,1	7,6	7	5,9	3,5	0,8	
SF 80.300	--	3	--	8	--	80mm	3"			14	13,7	13,3	12,9	12,5	12,1	11,6	10,6	10,1	9,5	8,4	5,9	3	0

Submersible Electric Pumps for Wastewater – SV



Type	KW		A		Cap. uF	Ø		Q	m³/h l/min	0	6	9	12	15	18	21	24	27	30	36	48	54	66
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc			0	100	150	200	250	300	350	400	450	500	600	800	900	1100
SV 40,75	0,75	0,75	4,8	1,4	20	DN40	DN40	H meters		13	10	7,8	5,3	2,4									
SV 50,75	0,75	0,75	7,2	2,8	20	DN50	DN50			13	10,9	9,6	8,2	6,7	5,1	3,4	1,5						
SV 50,150	1,5	1,5	8,6	3	40	DN50	DN50			14	12,9	12,1	11,1	9,8	8,4	6,7	4,8	2,8	0,5				
SV 65.300	--	3	--	4,8	--	DN65	DN65			12	11,8	11,6	11,3	10,9	10,5	10,1	9,5	8,9	8,3	6,7	2,9	0,6	
SV 80,400	--	4	--	8,8	--	DN80	DN80			15	14,7	14,4	14,2	13,9	13,5	13,1	12,7	12,2	11,7	10,6	7,9	6,3	2,6

Submersible Electric Pumps for Wastewater – Grinder



Type	KW		A		Cap. uF	Ø		Q	m³/h l/min	0	1,5	3	4,5	6	7,5	10,5	12	15	18	21
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc			0	25	50	75	100	125	175	200	250	300	350
SGR 40.150	1,5	1,2	7,2	2,1	35	--	1 1/2"	H meters		21	20	18,8	17,4	15,9	14,2	10,3	8,1	3,1		
SGR 50.220	2,2	2,2	16	4,6	40	--	2"			30	29,8	29,4	28,8	27,8	26,7	23,6	21,7	17,2	14,7	5,2

Submersible Electric Pumps for Wastewater – MC



Type	KW		A		Cap. uF	Ø		Q	m³/h l/min	0	9	15	18	21	24	30	36	42	48	54	60
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc			0	150	250	300	350	400	500	600	700	800	900	1000
MC 50.220	--	2,2	--	4,2	--	50mm	DN65	H meters		16	14,5	13,4	12,8	12,2	11,5	10	8,4	6,6	4,7	2,6	0,3
MC 65.300	--	3	--	4,8	--	65mm	DN65			19	17	15,7	15	14,2	13,5	12	10,3	8,6	6,8	4,9	2,9

Submersible Electric Pumps for Well



						Q – Capacity																				
						m3/h	0	0,6	1,2	1,8	2,4	3	3,3	4,5	5,7	6	9	10,5	15	19,8						
						L/1'	0	10	20	30	40	50	55	75	95	100	150	175	250	330						
Type	KW		A		Cap. uF	Ø		Head (m.c.a)																		
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc																			
AJ 3.37	0,37	0,6	2,6	1,2	12	--		30	28	25	21	16	11	8												
AJ 5.60	0,6	0,6	4,1	1,4	16	--	1"	50	47	42	35	28	18	13												
AJ 7.90	0,9	0,9	5,8	2,1	20	--		70	63	54	44	34	22	15												
A 40.60	0,6	0,6	4,6	1,8	16	--		47	44	41	37	33	29	26	15											
A 60.90	0,9	0,9	6	2,3	20	--	1 ¼"	60	57	53	49	45	40	38	26											
A 80.130	1,3	1,3	8,4	3	30	--		85	82	77	72	66	59	55	37											
AC 4.110	1,1	1,1	10	3,9	40	--		53	52,5	51,5	50	49	48	47	44	40	39	23	14							
AC 5.	1,5	1,85	12	4,6	50	--	1 ½"	65	64	63	62	60	58	57	54	49	48	31	18							
AC 6.220	2,2	2,2	14	5	50	--		77	75	74	72	70	68	67	63	56	55	35	21							
AB 3.150	1,5	1,5	11	3,6	50	--		36	35,5	35	34,5	34	33	31	32	30	29	26	24	16	6					
AB 4.220	2,2	2,2	12	4,2	50	--	2"	46	45,5	45	44,5	44	43	42	41	40	39	35	33	24	9					
AB 5.300	--	3	--	6	--	--		57	56,5	56	55,5	55	54	53	52	50	49	44	41	30	13					
SA 40.60	0,6	0,6	4,6	1,8	16	--		47	44	41	37	33	29	26	15											
SA 60.90	0,9	0,9	6	2,3	20	--	1 ¼"	60	57	53	49	45	40	38	26											
SA 80.130	1,3	1,3	8,4	3	30	--		85	82	77	72	66	59	55	37											
RJ 3.37	0,37	0,37	2,6	1,2	12,5			30	28	25	21	16	11	8												
RJ 4.60	0,6	0,6	3,3	1,4	14	1"	1"	40	37	33	28	22	15	11												
RJ 5.60	0,6	0,6	4,25	1,4	30			50	47	42	35	28	18	13												

Horizontal Multistage Centrifugal Electric Pumps





						Q – Capacity																	
						m3/h	0	0,6	1,2	1,8	2,4	3	4,5	5,7	9	10,5	12	15	18	19,8			
						L/1'	0	10	20	30	40	50	75	95	150	175	200	250	300	330			
Type	KW		A		Cap. uF	Ø		Head (m.c.a)															
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc																
CMH 12.37	0,37	0,6	2,2	1,1	10	1"	1"	21	20	18	15	12	7										
CMH 13.37	0,37	0,6	2,6	1,2	12			32	30	27	23	18	11										
CMH 14.60	0,6	0,6	3,45	1,4	14			40	37	33	28	22	14										
CMH 15.60	0,6	0,9	3,9	1,6	18			50	46	41	34	26	17										
CMH 16.90	0,9	0,9	4,9	1,9	20			60	55	49	41	31	20										
CMH 23.75	0,75	0,75	4,2	2,2	16	1"	1"	39	37	36	35	33	29	19	10								
CMH 24.80	0,8	0,8	5,4	2,3	16			52	51	48	46	43	39	27	15								
CMH 25.120	1,2	1,2	7,2	2,8	20			67	65,5	63	59	56	51	39	24								
CMH 26.120	1,2	1,2	7,8	3,5	25			78	76,5	74	71	67	62	46	29								
CMH 27.150	1,5	1,5	8,6	3,8	25			91	89	86	84	80	75	59	39								
CMH 33.90	0,9	1,1	7	3,3	25	1 ¼"	1 ¼"	40	39,5	39	38	37	36	32	28	13,5	4,5						
CMH 34.110	1,1	1,1	9	3,5	35			50	49,5	49	48,5	48	47	43	39	20	7,5						
CMH 35.150	1,5	1,5	11,8	4,2	40			66	65,5	65	64	63	62	57	52	28	11						
CMH 36.220	2,2	2,2	12,4	5	50			81	80,5	79,5	78	76	75	69	63	36	14,5						
CMH 43.150	1,5	1,5	11	3,6	40	1 1/2"	1 1/2"	36	35,5	35	34,5	34	33	32	30	26	24	22	16	10	6		
CMH 44.220	2,2	2,2	12	4,2	40			46	45,5	45	44,5	44	43	42	40	35	33	30	24	15	9		
CMH 45.300	--	3	--	6	--			57	56,5	56	55,5	55	54	53	50	44	41	38	30	22	13		

Horizontal Multistage Centrifugal Electric Pumps





						Q - Capacity																
						m3/h	0	0,6	1,2	1,8	2,4	3	4,5	5,7	9	10,5	12	15	18	19,8		
						L/1'	0	10	20	30	40	50	75	95	150	175	200	250	300	330		
Type	KW		A		Cap. uF	Ø		Head (m.c.a)														
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc															
CHS 3-2	0,37	0,6	2,2	1,1	10	1"	1"	21	20	18	15	12	7									
CHS 3-3	0,37	0,6	2,6	1,2	12			32	30	27	23	18	11									
CHS 3-4	0,6	0,6	3,45	1,4	14			40	37	33	28	22	14									
CHS 3-5	0,6	0,9	3,9	1,6	18			50	46	41	34	26	17									
CHS 3-6	0,9	0,9	4,9	1,9	20			60	55	49	41	31	20									
CHS 5-3	0,75	0,75	4,2	2,2	16	1"	1"	39	37	36	35	33	29	19	10							
CHS 5-4	0,8	0,8	5,4	2,3	16			52	51	48	46	43	39	27	15							
CHS 5-5	1,2	1,2	7,2	2,8	20			67	65,5	63	59	56	51	39	24							
CHS 5-6	1,2	1,2	7,8	3,5	25			78	76,5	74	71	67	62	46	29							
CHS 5-7	1,5	1,5	8,6	3,8	25			91	89	86	84	80	75	59	39							
CHS 8-3	0,9	1,1	7	3,3	25	1 ¼"	1 ¼"	40	39,5	39	38	37	36	32	28	13,5	4,5					
CHS 8-4	1,1	1,1	9	3,5	35			50	49,5	49	48,5	48	47	43	39	20	7,5					
CHS 8-5	1,5	1,5	11,8	4,2	40			66	65,5	65	64	63	62	57	52	28	11					
CHS 8-6	2,2	2,2	12,4	5	50			81	80,5	79,5	78	76	75	69	63	36	14,5					
CHS 16-3	1,5	1,5	11	3,6	40	1 1/2"	1 1/2"	36	35,5	35	34,5	34	33	32	30	26	24	22	16	10	6	
CHS 16-4	2,2	2,2	12	4,2	40			46	45,5	45	44,5	44	43	42	40	35	33	30	24	15	9	
CHS 16-5	--	3	--	6	--			57	56,5	56	55,5	55	54	53	50	44	41	38	30	22	13	

Vertical Multistage Centrifugal Electric Pumps





						Q - Capacity															
						m3/h	0	0,6	1,2	1,8	2,4	3	4,5	5,7	9	10,5	12	15	18	19,8	
						L/1'	0	10	20	30	40	50	75	95	150	175	200	250	300	330	
Type	KW		A		Cap. uF	Ø		Head (m.c.a)													
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc														
CMV 24.80	0,8	0,8	5,4	2,3	16	1"	1"	52	51	48	46	43	39	27	15						
CMV 25.120	1,2	1,2	7,2	2,8	20			67	65,5	63	59	56	51	39	24						
CMV 26.120	1,2	1,2	7,8	3,5	25			78	76,5	74	71	67	62	46	29						
CMV 27.150	1,5	1,5	8,6	3,8	25			91	89	86	84	80	75	59	39						
CMV 33.90	0,9	1,1	6,2	3,7	25	1 ½"	1 ¼"	40	39,5	39	38	37	36	32	28	13,5	4,5				
CMV 34.110	1,1	1,1	8,9	3,9	35			50	49,5	49	48,5	48	47	43	39	20	7,5				
CMV 35.	1,5	1,85	11,2	4,6	40			66	65,5	65	64	63	62	57	52	28	11				
CMV 36.220	2,2	2,2	12	5	50			78	76	75	74	71	69	62	55	29	14				
CMV 38.300	--	3	--	6	--			103	102	99	97	96	94	88	78	32	10				
CMV 44.150	--	2,2	--	4,5	--	1 ½"	1 ¼"	48	47,5	47	46	45	44	42	40	35	33	30	24	15	9
CMV 46.300	--	3	--	7,6	--			72	71	70	69	67	66	63	60	54	50	46	36	25	15
CMV 47.400	--	4	--	11	--			84	83	82	81	80	78	76	72	65	62	57	46	40	23

Electric Pumps Centrifugal Monoblock



				Q – Capacity															
				m3/h	0	3	6	9	12	15	18	21	24	27	30	33	36	39	
Type	Motor used to test	Ø	Dna Dnc	Head (m.c.a)															
CF2 50.45	Diesel 12HP	2"	1 1/2"	142	129	115	100	85	68	48	25	0							
CF2 80.50	Gasoline 18HP	3"	2"	130	125	120	114	107	100	92	84	75	65	55	44	32	19		

Self Priming Centrifugal Electric Pump





						Q – Capacity													
						m3/h	0	0,6	1,2	1,6	2	2,4	2,8	3	3,4	3,6			
Type	KW		A		Cap. uF	Ø	Dna	Dnc	Head (m.c.a)										
	1~230V	3~400V	1~230V	3~400V															
Jet 100.80.	0,8	0,8	4,6	1,9	20		1"	1"	55	50	43	37	31	25	18	14	5,6	0	

Submersible Electric Pumps for Borehole 4"



									Q – Capacity															
									m3/h	0	0,6	0,9	1,2	1,5	1,8	2,1	2,4	2,7	3	3,3	3,6	4,2	4,5	4,8
Type	KW		A		Cap. uF	Ø			Head (m.c.a)															
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc																	
A 5.37	0,37	0,37	3,3	1,1	18	--	1 ¼"		74	65	58	49	39	28	14									
A 6.55	0,55	0,55	5	1,6	20	--			87	76	68	58	47	34	17									
A 7.55	0,55	0,55	5	1,6	30	--			109	94	85	73	59	42	23									
A 10.75	0,75	0,75	6,5	2,2	40	--			145	127	114	98	79	58	30									
A 15.110	1,1	1,1	9,4	3,2	50	--			179	157	140	120	98	70	36									
A 20.110	1,1	1,1	9,4	3,2	70	--			215	188	170	149	120	90	50									
B 5.37	0,37	0,37	3,3	1,1	16	--	1 ¼"		53	49	47	42	39	33	28	23	17	10						
B 7.55	0,55	0,55	5	1,6	20	--			70	65	61	58	52	47	40	32	23	14						
B 10.75	0,75	0,75	6,5	2,2	35	--			95	88	82	77	69	60	51	42	30	18						
B 15.110	1,1	1,1	9,4	3,2	40	--			150	132	122	111	100	88	71	59	43	26						
B 20.150	1,5	1,5	11,2	4,1	50	--			210	185	171	157	140	122	104	83	60	37						
B 30.220	2,2	2,2	15,1	5,8	70	--			285	254	236	218	197	174	149	121	90	56						
C 7.55	0,55	0,55	5	1,6	20	--	1 ¼"		48	46	45	45	44	43	41	40	38	36	33	30	23	18	14	
C 10.75	0,75	0,75	6,5	2,2	35	--			76	73	72	71	69	67	64	61	57	54	50	47	38	31	24	
C 15.110	1,1	1,1	9,4	3,2	40	--			112	109	108	106	103	100	95	91	85	80	74	68	50	40	30	
C 20.150	1,5	1,5	11,2	4,1	50	--			155	149	145	143	137	133	126	121	114	107	97	89	68	54	41	
C 30.220	2,2	2,2	15,1	5,8	70	--			210	199	195	190	182	176	168	160	150	140	127	116	89	71	55	
C 40.300	--	3	--	7,2	--	--			265	254	247	240	232	224	215	205	192	181	166	153	120	98	77	

								Q – Capacity																	
								m3/h	0	1,8	2,4	3	3,6	4,2	4,5	4,8	5,4	6	6,6	7,5	9	10,5	12	13,5	
Type	KW		A		Cap. uF	Ø		Head (m.c.a)																	
	1~230V	3~400V	1~230V	3~400V		Dna	Dnc																		
D 7.55	0,55	0,55	5	1,6	20	--	1 ¼"	37	34	32	30	28	25	22	21	17	12	8							
D 10.75	0,75	0,75	6,5	2,2	35	--		53	50	48	44	40	35	32	30	24	17	10							
D 15.110	1,1	1,1	9,4	3,2	40	--		80	73	70	67	60	55	50	48	40	30	18							
D 20.150	1,5	1,5	11,2	4,1	50	--		116	108	103	97	88	79	74	68	55	40	23							
D 30.220	2,2	2,2	15,1	5,8	70	--		157	146	138	130	120	108	100	94	77	57	34							
D 40.300	--	3	--	7,2	--	--		220	200	190	178	165	149	140	130	108	82	50							
D 50.400	--	4	--	9,5	--	--	280	257	244	230	215	197	185	176	149	118	77								
E 10.75	0,75	0,75	6,5	2,2	35	--	2"	23	22,5	22,5	22	21	20,5	20	19	18,5	18	16,5	15	13	9	5			
E 15.110	1,1	1,1	9,4	3,2	40	--		35	34	33,5	33	32	31	30	29	28	27	25	23	18	13	7			
E 20.150	1,5	1,5	11,2	4,1	50	--		47	46	45	44	42	41	40	38	37	36	34	31	25	18	9			
E 30.220	2,2	2,2	15,1	5,8	70	--		75	72	71	70	68	66	65	63	60	58	55	50	40	29	15			
E 40.300	--	3	--	7,2	--	--		100	97	95	94	91	89	88	86	83	80	76	70	57	42	23			
E 55.400	--	4	--	9,5	--	--		135	128	125	123	119	116	114	121	117	103	98	89	73	53	29			
E 75.550	--	5,5	--	13,5	--	--		185	175	170	169	163	159	157	152	147	143	135	126	105	89	45			
F 20.150	1,5	1,5	11,2	4,1	50	--	2"	53	49	48	46	45	44	43	41	39	38	36	34	28	22	15	8		
F 30.220	2,2	2,2	15,1	5,8	70	--		74	68	66	65	63	61	59	57	55	53	36	46	39	31	21	12		
F 40.300	--	3	--	7,2	--	--		100	93	90	87	84	82	80	78	75	72	68	63	53	41	29	15		
F 55.400	--	4	--	9,5	--	--		139	128	125	121	117	114	112	108	104	100	95	88	74	58	42	22		
F 75.550	--	5,5	--	13,5	--	--		180	167	163	157	153	148	146	143	137	132	125	116	98	75	56	31		

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

GENERAL SALES CONDITIONS

PRICES

All orders are subject to the conditions applying at the date of execution.

CONDITIONS

ADDITIONAL DISCOUNT

For orders placed on the extranet for orders over 400€

2%

Prompt payment

3%

TRANSPORT

The goods travel at the risk of the customer.

Offer shipping to special conditions (to consult us)

The anomalies detected shall be entered in the transport document, at the time of receipt of merchandise

When delivery is made by our drivers, the customer must check the quantity, check if the goods are in perfect condition and sign the Triplicate, after which we can not accept any complaints.

RETURNS

May only accept returns of merchandise within 8 days from the date of invoice, when justified in writing and approved in advance by our firm, the material must be in perfect condition and with original packaging.

WARRANTY

The warranty against manufacturing defects is generally 24 months, notwithstanding the provisions of the Certificate of Guarantee respective articles.

Technical assistance is provided in our workshops.

These conditions supersede and replace the previous ones.

Prices subject to rate TVA conditions.

The photos may not correspond to reality.

This price list enter into effect in May **09, 2022** cancels the previous one and can be changed without notice.



 **mostra convegno®
expocomfort**

28 June - 1 July - Fiera Milano
Visit us at Hall 2 | Stand N61 P62

